

Epson® WorkForce® Pro Optional Cabinets

Place your WorkForce Pro desktop printer on a stylish cabinet and set it in a common area for easy workgroup access. Made to match WorkForce Pro single-function or multifunction printers, these mobile stands are easy to assemble and feature special pins to hold the printer in place. Lockable wheels and built-in stabilizers offer added convenience. There's even a compartment to store printer supplies.



Ledger Size

Letter Size

Images not to scale



| EXCEED YOUR VISION | | A4 / Letter Size Printers / MFPs | | | | | | | | |
|--------------------|--|----------------------------------|--|---------------------------|---|---------------------------|---------------------------|--|---|---------------------------|
| | Printers / MFPS Mod | del Number | WorkForce Pro WF-M5299 | WorkForce Pro WF-M5799 | WorkForce Pro WF-C5210 | WorkForce Pro WF-C5290 | WorkForce Pro WF-C5710 | WorkForce Pro WF C5790 | WorkForce Pro WF-C529R | WorkForce Pro WF-C579R |
| CABINET SKUs | Product code | | C11CG07201 | C11CG04201 | C11CG06201 | C11CG05201 | C11CG03201 | C11CG02201 | C11CG79201BU | C11CG77201BU |
| | Functionality | | Printer | MFP | Printer | Printer | MFP | MFP | Printer | MFP |
| | Dimensions: Printing (W x D x H) | | 16.7" x 22.8" x 17.7" | 16.7" x 22.8" x 17.7" | 16.7" x 22.8" x 17.7" | 16.7" x 22.8" x 17.7" | 16.7" x 22.8" x 17.7" | 16.7" x 22.8" x 17.7" | 16.7" x 22.8" x 23.8" | 16.7" x 22.8" x 23.8" |
| | Dimensions: Storage (W x D x H) | | 16.7" x 21.1" x 14.1" | 16.7" x 21.1" x 14.1" | 16.7" x 21.1" x 14.1" | 16.7" x 21.1" x 14.1" | 16.7" x 21.1" x 14.1" | 16.7" x 21.1" x 14.1" | 16.7" x 21.1" x 20.2" | 16.7" x 21.1" x 20.2" |
| C12CFM7066 | LOW OPTIONAL CABINET FOR WF-C5XXX & WF-M5XXX SERIES | | Max. recommended config.: • Up to 2 additional paper trays Shown: WF-M5799 with 2 additional paper trays Max. recommended height: 41.2" Max. dimensions shown below | | Models only support up to 1 additional paper tray Height with one additional paper tray: 37.2" | | | | Max. recommended config.: • Up to 2 additional paper trays Shown: WF-C579R with 2 additional paper trays Max. recommended height: 43.2" Max. dimensions shown below | |
| | Dimensions: (W x D x H) | 16.7" x 28.0" x 19.2" | 16.7" x 28.0" x 41.2" | 16.7" x 28.0" x 41.2" | | | 16.7" x 21.1" x 43.2" | 16.7" x 21.1" x 43.2" | | |
| C12CFM7067 | MEDIUM OPTIONAL CABINET FOR WF-C5XXX & WF-M5XXX SERIES | | Maximum recommended config.: • Up to 1 additional paper tray Shown: WF-C5790 with 1 additional paper tray Maximum recommended height: 41.7" Maximum dimensions shown below | | | | | | Max. recommended config.: • Up to 1 additional paper tray Shown: WF-C579R with 1 additional paper tray Max. recommended height: 43.8" Max. dimensions shown below | |
| | Dimensions: (W x D x H) | 16.7" x 28.0" x 23.6" | 16.7" x 28.0" x 41.7" | 16.7" x 28.0" x 41.7" | 16.7" x 28.0" x 41.7" | 16.7" x 28.0" x 41.7" | 16.7" x 28.0" x 41.7" | 16.7" x 28.0" x 41.7" | 16.7" x 21.1" x 43.8" | 16.7" x 21.1" x 43.8" |
| C12CFM7068 | TALL OPTIONAL CABINET FOR WF-C5XXX & WF-M5XXX SERIES | | Maximum recommended config.: • No additional paper tray Shown: WF-C5790 with no additional paper tray Maximum recommended height: 42.5" Maximum recommended dimensions shown below | | | | | Max. recommended config. No additional paper tray Shown: WF-C579R with no additional paper tray Max. recommended height: 44.6" Max. dimensions shown below | | |
| | Dimensions: (W x D x H) | 16.7" x 28.0" x 28.4" | 16.7" x 28.0" x 42.5" | 16.7" x 28.0" x 42.5" | 16.7" x 28.0" x 42.5" | 16.7" x 28.0" x 42.5" | 16.7" x 28.0" x 42.5" | 16.7" x 28.0" x 42.5" | 16.7" x 21.1" x 44.6" | 16.7" x 21.1" x 44.6" |

Proper installation of cabinets requires installation of metal-locating pins and stabilizing feet as specified in the instruction sheet. Do not exceed recommended cabinet, printer, and paper tray configurations. Failure to do so could create a tipping hazard.

Specification Sheet | Page 2 of 4



| EXCEED TOOK VISION | | | A3 / Ledger Size Printers / MFPs | | | | | | |
|--------------------|--|-----------------------|---|---|---|---|--|--|--|
| | Printers / MFPS Model Number | | WorkForce Pro WF-C878R | WorkForce Pro WF-C879R | WorkForce Pro WF-C8190 | WorkForce Pro WF-C8690 | | | |
| CABINET SKUs | Product code | | C11CH60201 | C11CH35201 | C11CG70201 | C11CG68201 | | | |
| | Functionality | | MFP | MFP | Printer | MFP | | | |
| | Dimensions: Printing (W x D x H) | | 24.4" x 33.9" x 28.3" | 24.4" x 37.0" x 29.9" | 24.1" x 34.1" x 22.5" | 24.1" x 34.1" x 22.5" | | | |
| | Dimensions: Storage (W x D x H) | | 24.4" x 25.7" x 25.2" | 24.4" x 29.6" x 28.0" | 24.1" x 29.7" x 15.2" | 24.1" x 29.7" x 19.4" | | | |
| C12CFM70380 | LOW OPTIONAL CABINET FOR WF-C8XXX SERIES | | Max. recommended config.: • Up to 1 additional paper tray Shown: WF-C878R with 1 additional paper tray Max. recommended height: 45.5" Max. dimensions shown below | Max. recommended config.: • Up to 1 additional paper tray Shown: WF-C879R with 1 additional paper tray Max. recommended height: 48.3" Max. dimensions shown below | Max. recommended config.: • Up to 2 additional paper trays Shown: WF-C8190 with 2 additional paper trays Max. recommended height: 39.5" Max. dimensions shown below | Max. recommended config.: • Up to 2 additional paper trays Shown: WF-C8690 with 2 additional paper trays Max. recommended height: 42.3" Max. dimensions shown below | | | |
| | Dimensions: (W x D x H) | 35.0" x 35.0" x 15.4" | 35.0" x 35.0" x 45.5" | 35.0" x 35.0" x 48.3" | 35.0" x 35.0" x 39.5" | 35.0" x 35.0" x 42.3" | | | |
| C12CFM70301 | TALL OPTIONAL CABINET FOR WF-C8XXX SERIES | | Max. recommended config.: • No additional paper tray Shown: WF-C878R with no additional paper tray Max. recommended height: 45.3" Max. dimensions shown below | Max. recommended config.: • No additional paper tray Shown: WF-C879R with no additional paper tray Max. recommended height: 49.3" Max. dimensions shown below | Max. recommended config.: • Up to 1 additional paper tray Shown: WF-C8190 with 1 additional paper tray Max. recommended height: 40.5" Max. dimensions shown below | Max. recommended config.: • Up to 1 additional paper tray Shown: WF-C8690 with 1 additional paper tray Max. recommended height: 43.3" Max. dimensions shown below | | | |
| | Dimensions: (W x D x H) | 35.0" x 35.0" x 21.5" | 35.0" x 35.0" x 45.3" | 35.0" x 35.0" x 49.3" | 35.0" x 35.0" x 40.5" | 35.0" x 35.0" x 43.3" | | | |

Proper installation of cabinets requires installation of metal-locating pins and stabilizing feet as specified in the instruction sheet. Do not exceed recommended cabinet, printer, and paper tray configurations. Failure to do so could create a tipping hazard.

Specification Sheet | Page 3 of 4 www.epson.com/businessinkjet



| | | A4 / Letter Size Printers / MFPs | | | | | | | |
|------------------------|------------------------------------|----------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| CABINET SKUs | PAPER CASSETTE CONFIGURATION | WorkForce Pro WF-M5299 | WorkForce Pro WF-M5799 | WorkForce Pro WF-C5210 | WorkForce Pro WF-C5290 | WorkForce Pro WF-C5710 | WorkForce Pro WF C5790 | WorkForce Pro WF-C529R | WorkForce Pro WF-C579R |
| | | C11CG07201 | C11CG04201 | C11CG06201 | C11CG05201 | C11CG03201 | C11CG02201 | C11CG79201BU | C11CG77201BU |
| C12CFM7066 (Low) | No additional paper tray | √ | √ | √ | √ | √ | √ | √ | √ |
| | 1 additional 500-sheet paper tray | √ | √ | √ | √ | √ | √ | √ | V |
| | 2 additional 500-sheet paper trays | √ | √ | - | - | - | - | √ | √ |
| C12CFM7067 (Medium) | No additional paper tray | √ | √ | √ | √ | √ | √ | √ | √ |
| | 1 additional 500-sheet paper tray | √ | √ | √ | √ | √ | √ | √ | √ |
| | 2 additional 500-sheet paper trays | х | х | х | х | х | х | х | х |
| C12CFM7068 (Tall) | No additional paper tray | √ | √ | √ | √ | √ | √ | √ | V |
| | 1 additional 500-sheet paper tray | х | х | х | х | х | х | х | х |
| | 2 additional 500-sheet paper trays | Х | Х | х | Х | Х | Х | Х | Х |

| | | A3 / Ledger Size Printers / MFPs | | | | | |
|-----------------------|------------------------------------|----------------------------------|---------------------------|---------------------------|---------------------------|--|--|
| CABINET SKUs | PAPER CASSETTE CONFIGURATION | WorkForce Pro WF-C878R | WorkForce Pro WF-C879R | WorkForce Pro WF-C8190 | WorkForce Pro WF-C8690 | | |
| | CONFIGURATION | C11CH60201 | C11CH35201 | C11CG70201 | C11CG68201 | | |
| | No additional paper tray | √ | √ | √ | √ | | |
| C12CFM70380 (Low) | 1 additional 500-sheet paper tray | √ | √ | √ | √ | | |
| | 2 additional 500-sheet paper trays | х | х | √ | √ | | |
| | No additional paper tray | √ | √ | √ | √ | | |
| C12CFM70301 (Tall) | 1 additional 500-sheet paper tray | х | Х | √ | √ | | |
| | 2 additional 500-sheet paper trays | Х | Х | Х | Х | | |

| ADDITIONAL PAPER TRAYS | | | | | |
|------------------------|---|------------------|--|--|--|
| SKUs | DESCRIPTIONS | ESTIMATED HEIGHT | | | |
| C12C932871 | A4/Letter Size 500-sheet Optional Paper Cassette | 4" | | | |
| C12C932611 | A3/Ledger Size Optional 500-sheet paper cassette | 5" | | | |

√ Supported configuration

- x Not recommended; height exceeds recommended maximum height
- Number of additional trays exceeds the limit the device models support

Proper installation of cabinets requires installation of metal-locating pins and stabilizing feet as specified in the instruction sheet.

Do not exceed recommended cabinet, printer and paper tray configurations. Failure to do so could create a tipping hazard.

See the latest innovations from Epson Business Solutions at www.epson.com/forbusiness

Epson America, Inc. 3131 Katella Avenue, Los Alamitos, CA 90720 Epson Canada Limited 185 Renfrew Drive, Markham, Ontario L3R 6G3 www.epson.com www.epson.ca Specifications and terms are subject to change without notice. EPSON and WorkForce are registered trademarks and EPSON Exceed Your Vision is a registered logomark of Seiko Epson Corporation. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2020 Epson America, Inc. CPD-59633 9/20